Molecular Immunology

LIST OF CONTENTS AND
AUTHOR INDEX
FOR VOLUME 32, 1995

PERGAMON

Molecular Immunology

Board of Regional Editors

Dr HIDDE PLOEGH (Chairman of the Board), *Massachusetts Institute of Technology, Center for Cancer Research, 40 Ames Street, E17-322, Cambridge, MA 02139, U.S.A.*
Dr JANNIE BORST, *Division of Cellular Biochemistry, The Netherlands Cancer Institute, Plesmanlaan 121, 1066 CX Amsterdam, The Netherlands*
Dr J. DONALD CAPRA, *The University of Texas, Southwestern Medical School, Molecular Immunology Center, Department of Microbiology, 6000 Harry Hines Blvd, Dallas, TX 75235-9140, U.S.A.*
Dr STEVE DOWER, *Department of Medicine and Pharmacology, Royal Hallamshire Hospital, University of Sheffield, Sheffield S10 2JF, U.K.*
Dr STEVE GERONDAKIS, *The Walter and Eliza Hall Institute of Medical Research, Royal Melbourne Hospital, Victoria 3050, Australia*
Dr ED PALMER, *Basel Institute for Immunology, Grenzacherstrasse 487, CH-4005, Basel, Switzerland*

Founding Editor

Prof. DAN H. CAMPBELL

Advisory Editors

B. H. BARBER
Toronto, Canada

DAVID H. BING
Boston, MA, U.S.A.

C. A. BONA
New York, NY, U.S.A.

GUY BORDENAVE
Paris, France

JOHN E. COLIGAN
Rockville, MD, U.S.A.

MAURICE COLOMB
Grenoble, France

GIAMPIETRO CORRADIN
Lausanne, Switzerland

M. DAERON
Paris, France

M. P. DIERICH
Innsbruck, Austria

DOUGLAS FEARON
Cambridge, U.K.

Z. FISHELSON
Tel Aviv, Israel

ARNOLD FROESE
Winnipeg, Canada

C. GRANIER
Montpellier, France

DAVID ISENMAN
Toronto, Canada

M. KAARTINEN
Helsinki, Finland

D. M. KRANZ
Urbana, IL, U.S.A.

M. P. LEFRANC
Montpellier, France

WARREN J. LEONARD
Bethesda, MD, U.S.A.

HENNING LOWENSTEIN
Horsholm, Denmark

DAVID G. MARSH
Baltimore, MD, U.S.A.

SHERIE L. MORRISON
Los Angeles, CA, U.S.A.

JIRI NOVOTNY
Princeton, NJ, U.S.A.

EDUARDO A. PADLAN
Bethesda, MD, U.S.A.

JEAN-LOUIS PREUD'HOMME
Poitiers, France

D. J. ROWLANDS
London, U.K.

VERNE N. SCHUMAKER
Los Angeles, CA, U.S.A.

DAVID M. SEGAL
Bethesda, MD, U.S.A.

JOHN TROWSDALE
London, U.K.

EDWARD W. VOSS, JR
Urbana, IL, U.S.A.

JUNJI YODOI
Kyoto, Japan

D. C. YUAN
Dallas, TX, U.S.A.

Production Editor

CATRIONA DEAN, *Elsevier Science Ltd, Oxford OX5 1GB, U.K. Tel.* 01865 843516.

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K., and Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. Annual Institutional Subscription Rates 1995: North, Central and South America, U.S.$1349.00, Rest of World £905.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A., and for the remainder of the world to: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Published monthly plus additional issues in February, April, June, August, October and December.

Copyright © 1996 Elsevier Science Ltd. All rights reserved.

Whilst every effort is made by the publishers and editorial board to see that no inaccurate or misleading data, opinion or statement appear in this journal, they wish to make it clear that the data and opinions appearing in the articles and advertisements herein are the sole responsibility of the contributor or advertiser concerned. Accordingly, the publishers, the editorial board and editors and their respective employees, officers and agents accept no responsibility or liability whatsoever for the consequences of any such inaccurate or misleading data, opinion or statement.

SECOND CLASS POSTAGE PAID AT NEWARK, NEW JERSEY AND ADDITIONAL ENTRY POINTS. *Molecular Immunology* (ISSN 0161–5890) is published monthly, January to December plus additional issues in February, April, June, August, October and December, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. The annual subscription in the U.S.A. is $1567.00. *Molecular Immunology* is distributed by Mercury Airfreight International Ltd., 10 Camptown Road, Irvington, NJ 07111-1105, U.S.A. POSTMASTER: please send address corrections to *Molecular Immunology, c/o* Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

CONTENTS OF VOLUME 32

NUMBER 1

P. Navarro, D. P. Barbis, D. Antczak and J. E. Butler	1	The complete cDNA and deduced amino acid sequence of equine IgE
M. Schäffner, C. François, B. Kaluza, Y. Jacques and U. H. Weidle	9	Chimeric interleukin 2 receptor α chain antibody derivatives with fused μ and γ chains permit improved recruitment of effector functions
T. Masaki, M. Matsumoto, T. Hara, I. Nakanishi, H. Kitamura and T. Seya	21	Covalently-bound human C4b dimers consisting of C4B isotype show higher hemolytic activity than those of C4A in the C3-bypass complement pathway
S. Allauzen, S. Joly, C. Granier, F. Molina, O. Bouix, B. Pau and M. Bouanani	27	Immunoanalysis of human insulin using monoclonal antibodies reveals antigenicity of evolutionarily conserved residues
C. P. Muller, R. Bünder, H. Mayser, S. Ammon, M. Weinmann, N. H. C. Brons, F. Schneider, G. Jung and K.-H. Wiesmüller	37	Intramolecular immunodominance and intermolecular selection of $H2^d$-restricted peptides define the same immunodominant region of the measles virus fusion protein
L.-Y. Ch'ang, M. Schell, C. Ringelberg, D. T. Weiss and A. Solomon	49	Molecular characterization of a human $V_{\lambda VIII}$ germline gene
C. Peterson, C. C. Malone and R. C. Williams Jr	57	Rheumatoid-factor-reactive sites on CH_3 established by overlapping 7-mer peptide epitope analysis
D. David and M. Zouali	77	Variable region light chain genes encoding human antibodies to HIV-1
G. Whitney, M. Bowen, M. Neubauer and A. Aruffo	89	Cloning and characterization of murine CD6
R. J. Pogulis, N. E. Jacir and L. R. Pease	93	Polymorphism of the $V_\alpha 15$ T-cell receptor subfamily
R. Kayestha, K. Hajela and S. Bharti	97	Electron spin resonance study of the metal binding site of glucose specific peripheral blood lymphocyte lectin
	i	*Forthcoming Papers*

NUMBER 2

M.-A. Poul, M. Ticchioni, A. Bernard and M.-P. Lefranc	101	Inhibition of T cell activation with a humanized anti-β1 integrin chain mAb
J. P. Portanova, G. Creadon, X. Zhang, D. S. Smith, B. L. Kotzin and L. J. Wysocki	117	An early post-mutational selection event directs expansion of autoreactive B cells in murine lupus
L. S. Cauley	137	Evidence for an early heavy chain intermediate in the assembly of H-2Db class I MHC molecules

E. S. Ward 147 VH shuffling can be used to convert an Fv fragment of anti-hen egg lysozyme specificity to one that recognizes a T cell receptor Vα

U. Svensson, E. Holst and R. Sundler 157 Cyclosporin-sensitive expression of cytokine mRNA in mouse macrophages responding to bacteria

NUMBER 3

A. M. Casillas, A. D. Thompson, S. Cheshier, S. Hernandez and R. J. Aguilera 167 *RAG*-1 and *RAG*-2 gene expression and V(D)J recombinase activity are enhanced by protein phosphatase 1 and 2A inhibition in lymphocyte cell lines

M.-C. Gagnerault, J.-F. Bach, M. Dardenne and F. Lepault 177 Two different mechanisms for the inhibition of rosette formation in mice

H. Le Calvez, J. Fieschi, J. M. Green, N. Marchesi, J. Chauveau and D. Baty 185 Paratope characterization by structural modelling of two anti-cortisol single-chain variable fragments produced in *E. coli*

C. J. van Oss 199 Hydrophobic, hydrophilic and other interactions in epitope–paratope binding

G. Achatz, H. Oberkofler, E. Lechenauer, B. Simon, A. Unger, D. Kandler, C. Ebner, H. Prillinger, D. Kraft and M. Breitenbach 213 Molecular cloning of major and minor allergens of *Alternaria alternata* and *Cladosporium herbarum*

Short Communication

V. P. Dave and J. L. Hurwitz 229 Gene rearrangement patterning and DNase-I hypersensitive sites within the T-cell receptor Jα locus

i *Forthcoming Papers*

NUMBER 4

P. Stordeur, L. Schandené, P. Durez, C. Gérard, M. Goldman and T. Velu 233 Spontaneous and cycloheximide-induced interleukin-10 mRNA expression in human mononuclear cells

Y. Nakano, T. Tozaki, N. Kikuta, T. Tobe, E. Oda, N.-H. Miura, T. Sakamoto and M. Tomita 241 Determination of the active site of CD59 with synthetic peptides

K. O. Webber, Y. Reiter, U. Brinkmann, R. Kreitman and I. Pastan 249 Preparation and characterization of a disulfide-stabilized Fv fragment of the anti-Tac antibody: comparison with its single-chain analog

J. L. Guéant, E. Mata, C. Masson, P. Gérard, D. A. Moneret-Vautrin, C. Mouton-Faivre and M. C. Laxenaire 259 Non-specific cross-reactivity of hydrophobic serum IgE to hydrophobic drugs

J. Fayen, J.-H. Huang, H. Meyerson, D. Zhang, R. Getty, N. Greenspan and M. Tykocinski 267 Class I MHC alpha 3 domain can function as an independent structural unit to bind CD8α

R. L. Seipelt and M. L. Peterson 277 Alternative processing of IgA pre-mRNA responds like IgM to alterations in the efficiency of the competing splice and cleavage–polyadenylation reactions

K. M. Keating, D. B. Segal, S. J. Craig, A. K. Nault, V. Semensi, A. S. Wasserman, C. M. Counsell and J. F. Bond 287 Enhanced immunoreactivity and preferential heterodimer formation of reassociated *Fel d* I recombinant chains

E. K. Ong, R. B. Knox and M. B. Singh 295 Mapping of the antigenic and allergenic epitopes of *Lol p* VB using gene fragmentation

Viewpoint

D. Boquet, O. Déry, Y. Frobert, J. Grassi and J. Y. Couraud 303 Is hydropathic complementarity involved in antigen–antibody binding?

309 *Announcement*

i *Forthcoming Papers*

NUMBER 5

H. C. Mitchell and J. W. Thomas 311 VH gene structure predicts a large potential anti-insulin repertoire

X.-M. Zhang, R. Berland and P. M. Rosoff 323 Differential regulation of accessory mitogenic signaling receptors by the T cell antigen receptor

M. Mangeney, G. Rousselet, S. Taga, T. Tursz and J. Wiels 333 The fate of human $CD77^+$ germinal center B lymphocytes after rescue from apoptosis

F. Rossi, R. Billetta, Z. Ruggeri and M. Zanetti 341 Engineered idiotypes. Immunochemical analysis of antigenized antibodies expressing a conformationally constrained Arg-Gly-Asp motif

C. J. Chapman, M. B. Spellerberg, T. J. Hamblin and F. K. Stevenson 347 Pattern of usage of the V_H4–21 gene by B lymphocytes in a patient with EBV infection indicates ongoing mutation and class switching

T. Seya, K. Nakamura, T. Masaki, C. Ichihara-Itoh, M. Matsumoto and S. Nagasawa 355 Human factor H and C4b-binding protein serve as factor I-cofactors both encompassing inactivation of C3b and C4b

J. D. Noti and B. C. Reinemann 361 The leukocyte integrin gene CD11c is transcriptionally regulated during monocyte differentiation

H. Stoiber, C. F. Ebenbichler, N. M. Thielens, G. J. Arlaud and M. P. Dierich 371 HIV-1 rsgp41 depends on calcium for binding of human C1q but not for binding of gp120

B. Shopes 375 Temperature-dependent binding of human IgG_1 to a human high affinity Fc receptor

M. J. Wong, G. Goldberger, D. E. Isenman and J. O. Minta 379 Processing of human factor I in COS-1 cells co-transfected with factor I and paired basic amino acid cleaving enzyme (PACE) cDNA

i *Forthcoming Papers*

NUMBER 6

M. Barel, M. Balbo, A. Gauffre and R. Frade — 389 — Binding sites of the Epstein-Barr virus and C3d receptor (CR2, CD21) for its three intracellular ligands, the p53 anti-oncoprotein, the p68 calcium binding protein and the nuclear p120 ribonucleoprotein

L. P. Roguin, R. C. Aguilar and L. A. Retegui — 399 — Monoclonal antibodies to human growth hormone modulate its biological properties

T. Ohtomo, M. Tsuchiya, K. Sato, K. Shimizu, S. Moriuchi, Y. Miyao, T. Akimoto, K.-I. Akamatsu, T. Hayakawa and Y. Ohsugi — 407 — Humanization of mouse ONS-M21 antibody with the aid of hybrid variable regions

B. J. Willett and J. C. Neil — 417 — cDNA cloning and eukaryotic expression of feline CD9

V. P. Zav'yalov, E. V. Navolotskaya, R. N. Vasilenko, V. M. Abramov, E. Y. Volodina, O. A. Roslovtseva, A. N. Prusakov and O. A. Kaurov — 425 — The sequence 130–137 of human interferon-α2 is involved in the competition of interferon, prothymosin α and cholera toxin B subunit for common receptors on human fibroblasts

W. F. Wade, I. Khrebtukova, K. L. Schreiber, D. J. McKean and T. K. Wade — 433 — Truncated MHC class II cytoplasmic and transmembrane domains: effect on plasma membrane expression

Brief Structural Data Report

M. Ono, T. Yamamoto and M. Nose — 447 — Allelic difference in the nucleotide sequence of the *Eta-1/Op* gene transcript

i *Forthcoming Papers*

NUMBER 7

F. Boudet, H. Keller, M. P. Kieny and J. Thèze — 449 — Single peptide and anti-idiotype based immunizations can broaden the antibody response against the variable V3 domain of HIV-1 in mice

A. Kramer, E. Vakalopoulou, W.-D. Schleuning and J. Schneider-Mergener — 459 — A general route to fingerprint analyses of peptide–antibody interactions using a clustered amino acid peptide library: Comparison with a phage display library

J.-K. Kim, M.-F. Tsen, V. Ghetie and E. S. Ward — 467 — Evidence that the hinge region plays a role in maintaining serum levels of the murine IgG1 molecule

D. Gilbert, F. Brard, C. Margaritte, A. Delpech and F. Tron — 477 — An idiotype D23-bearing polyspecific, murine anti-DNA monoclonal antibody forms glomerular immune deposits. Pathogenic role of natural autoantibodies?

K. A. Brorson, M. V. Krasnokutsky and K. E. Stein — 487 — Immunoglobulin isotype switching in *xid* mice

G. J. Prud'homme, D. H. Kono and A. N. Theofilopoulos — 495 — Quantitative polymerase chain reaction analysis reveals marked overexpression of interleukin-1β, interleukin-10 and interferon-γ mRNA in the lymph nodes of lupus-prone mice

E. Tamborini, A. Brandazza, C. De Lalla, G. Musco, A. G. Siccardi, P. Arosio and A. Sidoli — 505 — Recombinant allergen *Lol p* II: Expression, purification and characterization

G. Froyen, D. Hendrix, I. Ronsse, P. Fiten, E. Martens and A. Billiau 515 Effect of VH and VL consensus sequence-specific primers on the binding and neutralizing potential of a single-chain FV directed towards HuIFN-γ

A. Pilyavskaya, M. Wieczorek, S. W. Jones and K. Gross 523 Isolation and characterization of a new basic antigen from short ragweed pollen (*Ambrosia artemisiifolia*)

J. D. Smith, J. C. Solheim, B. M. Carreno and T. H. Hansen 531 Characterization of class I MHC folding intermediates and their disparate interactions with peptide and β_2-microglobulin

i *Forthcoming Papers*

NUMBER 8

J. A. Buras, W. R. Reenstra and M. J. Fenton 541 NFβA, a factor required for maximal interleukin-1β gene expression is identical to the *ets* family member PU.1. Evidence for structural alteration following LPS activation

P. V. Mukku, D. Passmore, D. Phan and B. Nag 555 pH dependent binding of high and low affinity myelin basic protein peptides to purified HLA-DR2

N. Fisicaro, M. Katerelos, J. Williams, D. Power, A. d'Apice and M. Pearse 565 Identification of genes downregulated in the thymus by cyclosporin-A: preliminary characterization of clone CSA-19

N. Morioka, Y. Kikumoto, D. S. B. Hoon, D. L. Morton and R. F. Irie 573 Cytotoxic T cell recognition of a human melanoma derived peptide with a carboxyl-terminal alanine–proline sequence

L. Du Pasquier, M. Courtet and J. Robert 583 A *Xenopus* lymphoid tumor cell line with complete Ig genes rearrangements and T-cell characteristics

H. Leibiger, A. Hansen, G. Schoenherr, M. Seifert, D. Wüstner, R. Stigler and U. Marx 595 Glycosylation analysis of a polyreactive human monoclonal IgG antibody derived from a human–mouse hetero-hybridoma

i *Forthcoming Papers*

NUMBER 9

P. A. Wentworth, E. Celis, C. Crimi, S. Stitely, L. Hale, V. Tsai, H. M. Serra, M.-F. Del Guercio, B. Livingston, D. Alazard, J. Fikes, R. T. Kubo, H. M. Grey, R. W. Chesnut, F. V. Chisari and A. Sette 603 *In vitro* induction of primary, antigen-specific CTL from human peripheral blood mononuclear cells stimulated with synthetic peptides

F. Ishida, Y. Gruel, E. Brojer, D. J. Nugent and T. J. Kunicki 613 Repertoire cloning of a human IgG inhibitor of $\alpha_{IIB}\beta_3$ function. The OG idiotype

L. J. Sigal, P. Goebel and D. E. Wylie 623 D^b-binding peptides from influenza virus: effect of non-anchor residues on stability and immunodominance

T. Fujii, T. Nakamura and S. Tomonaga	633	Component C3 of hagfish complement has a unique structure: identification of native C3 and its degradation products
N.-Y. Shih and G. Floyd-Smith	643	Invariant chain (CD74) gene regulation: enhanced expression associated with activation of protein kinase Cδ in a murine B lymphoma cell line
S. Hashimoto, N. Chiorazzi and P. K. Gregersen	651	Alternative splicing of CD79a (Ig-α/mb-1) and CD79b (Ig-β/B29) RNA transcripts in human B cells
X. X. Tang, N. Ikegaki, J. S. Danska and E. Heber-Katz	661	An alternative view of T-cell receptor–MHC interaction: T-cell receptor binds transversally to the α-helices of the MHC molecule
M. D. P. Boyle, J. Weber-Heynemann, R. Raeder and A. Podbielski	669	Characterization of a gene coding for a type IIo bacterial IgG-binding protein
		Short Communication
C. E. Miller, K. Huppi, D. Siwarski, A. Karpas, A. Newman, C. Mainhart and C. P. J. Glaudemans	679	A murine antibody to *Shigella dysenteriae* type 1 employs V-genes that contain a rearranged codon for the λ light chain
	i	*Forthcoming Papers*

NUMBER 10

J. D. Rioux, E. Ždárský, M. M. Newkirk and J. Rauch	683	Anti-DNA and anti-platelet specificities of SLE-derived autoantibodies: evidence for $CDR2_H$ mutations and $CDR3_H$ motifs
O. Léger, E. Jackson and C. Dean	697	Primary structure of the variable regions encoding antibody to NG2, a tumour-specific antigen on the rat chondrosarcoma HSN. Correlation of idiotypic specificities with amino acid sequences
A. Sahu and M. K. Pangburn	711	Tyrosine is a potential site for covalent attachment of activated complement component C3
B. Parhami-Seren, M. Lynch, H. D. White and G. L. Reed	717	Mapping the antigenic regions of streptokinase in humans before and after streptokinase therapy
C. E. Hioe and J. A. Frelinger	725	Alterations of a dominant epitope of lymphocytic choriomeningitis virus which affect class I binding and cytotoxic T cell recognition
S.-D. Yang, L. B. Schook and M. S. Rutherford	733	Differential expression of novel genes by bone marrow-derived macrophage populations
D. W. Hartwell, M. J. Fenton, J. S. Levine and D. I. Beller	743	Aberrant cytokine regulation in macrophages from young autoimmune-prone mice: evidence that the intrinsic defect in MRL macrophage IL-1 expression is transcriptionally controlled
M. G. Fitts, D. W. Metzger, L. M. Hendershot and R. G. Mage	753	The rabbit B cell antigen receptor is non-covalently associated with unique heteromeric protein complexes: possible insights into the membrane IgM/IgD coexpression paradox

M. C. Peitsch and J. Tschopp 761 Comparative molecular modelling of the Fas-ligand and other members of the TNF family

Short Communication

W.-P. Zheng, K. Kiura and I. Nakamura 773 D^d is the only gene that controls NK cell resistance of heterozygous $H\text{-}2^{b/d}$ cells

777 *Announcement*

i *Forthcoming Papers*

NUMBER 11

J. W. Brooks, B. K. Yoza and S. B. Mizel 779 Interleukin 1 activation of the AP-1 transcription complex in murine T cells is regulated at the level of Jun B protein accumulation

M. Salcedo, P. Höglund, A. Achour, C. J. Thorpe and H.-G. Ljunggren 789 Altered MHC class I presented peptide repertoire is not sufficient to induce NK cell mediated F_1-hybrid resistance

J. M. Minnerath, B. L. Crump, E. Margoliash and R. Jemmerson 795 Major and minor epitopes on the self antigen mouse cytochrome *c* mapped by site-directed mutagenesis

P. M. Appasamy, Y. Weng, T. W. Kenniston Jr, A. B. Deleo and L. Tang 805 Expression of diverse and functional TCR γ and Ig heavy chain transcripts in fetal liver cells cultured with interleukin-7

C. Wingren, U.-B. Hansson, C. G. M. Magnusson and M. Ohlin 819 Antigen-binding sites dominate the surface properties of IgG antibodies

M. Exley, T. Wileman, B. Mueller and C. Terhorst 829 Evidence for multivalent structure of T-cell antigen receptor complex

i *Forthcoming Papers*

NUMBER 12

R. L. Paquette, M. R. Minosa, M. C. Verma, S. D. Nimer and H. P. Koeffler 841 An interferon-γ activation sequence mediates the transcriptional regulation of the IgG Fc receptor type IC gene by interferon-γ

L. Wagner, R. K. Avery, L. Bensinger, F. Kusinitz, P. L. Hibberd and M. S. Pasternack 853 Inhibition of cytotoxic T-lymphocyte-triggered apoptosis by target cell surface-coupled aprotinin

T. K. Nikula, M. Bocchia, M. J. Curcio, G. Sgouros, Y. Ma, R. D. Finn and D. A. Scheinberg 865 Impact of the high tyrosine fraction in complementarity determining regions: measured and predicted effects of radioiodination on IgG immunoreactivity

J. Yang, T. Moyana and J. Xiang 873 A genetically engineered single-chain FV/TNF molecule possesses the anti-tumor immunoreactivity of FV as well as the cytotoxic activity of tumor necrosis factor

S. K. Manna, C. Bhattacharya, S. K. Gupta and A. K. Samanta 883 Regulation of interleukin-8 receptor expression in human polymorphonuclear neutrophils

D. Hudrisier, H. Mazarguil, M. B. A. Oldstone and J. E. Gairin 895 Relative implication of peptide residues in binding to major histocompatibility complex class I H-2D^b: application to the design of high-affinity, allele-specific peptides

V. A. Apostolidis, K. A. Browne, M. J. Smyth and J. A. Trapani 909 The peptide loop consisting of amino acids 139–157 of human granzyme B (fragmentin 2) contains an immunodominant epitope recognized by the mouse

M. Z. Atassi, B. Z. Dolimbek and T. Manshouri 919 Antibody and T-cell recognition of α-bungarotoxin and its synthetic loop-peptides

i *Forthcoming Papers*

NUMBER 13

T. Endo, A. Wright, S. L. Morrison and A. Kobata 931 Glycosylation of the variable region of immunoglobulin G—site specific maturation of the sugar chains

Viewpoint

E. Ortega 941 How do multichain immune recognition receptors signal? A structural hypothesis

M. del Carmen Ruiz-Ruiz, F. J. Oliver, M. Izquierdo and A. López-Rivas 947 Activation-induced apoptosis in Jurkat cells through a myc-independent mechanism

S. L. Dillman, A. J. Strelkauskas, H. R. Su and R. J. Boackle 957 Activation of human complement by totally human monoclonal antibodies

C. S. Stein, Z. Fabry, S. Murphy and M. N. Hart 965 Involvement of nitric oxide in IFN-γ-mediated reduction of microvessel smooth muscle cell proliferation

A. Geluk, K. E. van Meijgaarden, J. W. Drijfhout and T. H. M. Ottenhoff 975 CLIP binds to HLA class II using methionine-based, allele-dependent motifs as well as allele-independent supermotifs

M. Taketani, A. Naitoh, N. Motoyama and T. Azuma 983 Role of conserved amino acid residues in the complementarity determining regions on hapten–antibody interaction of anti-(4-hydroxy-3-nitrophenyl)acetyl antibodies

J. D. Farrar and N. E. Street 991 A synthetic standard DNA construct for use in quantification of murine cytokine mRNA molecules

M. Helmer-Citterich, E. Rovida, A. Luzzago and A. Tramontano 1001 Modelling antibody–antigen interactions: ferritin as a case study

i *Forthcoming Papers*

NUMBER 14/15

H. Luo, L. Sopchak, S. P. Lerman and S. R. King 1011 Selective loss of H-2D^s antigen on a murine B lymphoma due to a post-transcriptional block in expression

C. Nishiyama, M. Fukada, Y. Usui, N. Iwamoto, T. Yuuki, Y. Okumura and H. Okudaira 1021 Analysis of the IgE-epitope of Der f 2, a major mite allergen, by *in vitro* mutagenesis

K. Rose, W. Zeng, L. E. Brown and D. C. Jackson	1031	A synthetic peptide-based polyoxime vaccine construct of high purity and activity
C. Ebenbichler, T. McNearney, H. Stoiber, J. Möst, R. Zangerle, W. Vogetseder, J. R. Patsch, L. Ratner and M. P. Dierich	1039	Sera from HIV-1 infected individuals in all stages of disease preferentially recognize the V3 loop of the prototypic macrophage-tropic glycoprotein gp120 ADA
J.-L. Moreau, M. Bossus, D. de Groote, C. François, Y. Jacques, A. Tartar and J. Thèze	1047	Characterization of a monoclonal antibody directed against the NH_2 terminal area of interleukin-2 (IL-2) and inhibiting specifically the binding of IL-2 to IL-2 receptor β chain (IL-2Rβ)
L. J. P. Latimer, Y. M. Agazie, R. P. Braun, K. J. Hampel and J. S. Lee	1057	Specificity of monoclonal antibodies produced against phosphorothioate and ribo modified DNAs
C. M. Lewis, G. F. Hollis, G. E. Mark III, J.-S. Tung and S. W. Ludmerer	1065	Use of a novel mutagenesis strategy, optimized residue substitution, to decrease the off-rate of an anti-gp120 antibody
B. Maillère, G. Mourier, J. Cotton, M. Hervé, S. Leroy and A. Ménez	1073	Probing immunogenicity of a T cell epitope by L-alanine and D-amino acid scanning
S. Vijh-Warrier, E. Murphy, I. Yokoyama and S. A. Tilley	1081	Characterization of the variable regions of a chimpanzee monoclonal antibody with potent neutralizing activity against HIV-1
W. D. Mallender and E. W. Voss Jr	1093	Primary structures of three Armenian hamster monoclonal antibodies specific for idiotopes and metatopes of the monoclonal anti-fluorescein antibody 4-4-20
J. S. Andris, S. R. Abraham, V. Pascual, M. P. Pistillo, S. Mantero, G. B. Ferrara and J. D. Capra	1105	The human antibody repertoire: heavy and light chain variable region gene usage in six alloantibodies specific for human HLA class I and class II alloantigens
I. Mathov, L. I. Plotkin, L. Squiquera, C. A. Fossati, R. A. Margni and J. Leoni	1123	*N*-Glycanase treatment of $F(ab')_2$ derived from asymmetric murine IgG_3 mAb determines the acquisition of precipitating activity
S. H. Nye, C. M. Pelfrey, J. J. Burkwit, R. R. Voskuhl, M. J. Lenardo and J. P. Mueller	1131	Purification of immunologically active recombinant 21.5 kDa isoform of human myelin basic protein
S. C. Yuhasz, C. Parry, M. Strand and L. M. Amzel	1143	Structural analysis of affinity maturation: The three-dimensional structures of complexes of an anti-nitrophenol antibody
S. Portolano, M. F. Prummel, B. Rapoport and S. M. McLachlan	1157	Molecular cloning and characterization of human thyroid peroxidase autoantibodies of lambda light chain type
		Short Communication
K. Hajela, R. Kayestha and Sumati	1171	Carbohydrate-induced modulation of cell membrane—III. Interaction of sialic acid and mannose with hamster splenic lymphocytes: A spin label study
	1175	*Corrigenda*
	i	*Forthcoming Papers*

NUMBER 16

H. Yamamoto, M. Hatano, Y. Iitsuka, N.-S. Mahyar, M. Yamamoto and T. Tokuhisa	1177	Two forms of Hox11, a T cell leukemia oncogene, are expressed in fetal spleen but not in primary lymphocytes
M. J. Evans, S. A. Rollins, D. W. Wolff, R. P. Rother, A. J. Norin, D. M. Therrien, G. A. Grijalva, J. P. Mueller, S. H. Nye, S. P. Squinto and J. A. Wilkins	1183	*In vitro* and *in vivo* inhibition of complement activity by a single-chain Fv fragment recognizing human C5
D. P. Cerretti, T. Vanden Bos, N. Nelson, C. J. Kozlosky, P. Reddy, E. Maraskovsky, L. S. Park, S. D. Lyman, N. G. Copeland, D. J. Gilbert, N. A. Jenkins and F. A. Fletcher	1197	Isolation of LERK-5: a ligand of the eph-related receptor tyrosine kinases
B. C. Valdez, D. Henning, R. K. Busch, M. Srivastava and H. Busch	1207	Immunodominant RNA recognition motifs of human nucleolin/C23
A. Cardona, O. Pritsch, G. Dumas, J.-F. Bach and G. Dighiero	1215	Evidence for an antigen-driven selection process in human autoantibodies against acetylcholine receptor
M. E. Mummert and E. W. Voss Jr.	1225	Effects of secondary forces on the primary antibody–ligand interaction
T. D. Pack and M. D. P. Boyle	1235	Characterization of a type II'o group A streptococcal immunoglobulin-binding protein
M. Hagen, R. Sacco, M. Sandor, C. Best, M. Nambu and R. G. Lynch	1245	The FcεRII/CD23 gene is actively transcribed during all stages of murine B-lymphocyte development
C. Hurwitz, C. L. Rosano, K. E. Hechemy, P. Weber and N. Parhami	1259	Structural, immunological and functional comparisons of Factor H, rheumatoid arthritis protein (RHP) and its apparent normal counterpart (N-RHP)
D. M. Knight, C. Wagner, R. Jordan, M. F. McAleer, R. DeRita, D. N. Fass, B. S. Coller, H. F. Weisman and J. Ghrayeb	1271	The immunogenicity of the 7E3 murine monoclonal Fab antibody fragment variable region is dramatically reduced in humans by substitution of human for murine constant regions
K. S. Campbell, W. D. Bedzyk and J. C. Cambier	1283	Manipulation of B cell antigen receptor tyrosine phosphorylation using aluminum fluoride and sodium orthovanadate
		Short Communication
M. Balbo, M: Barel, S. Bouillie, P. Drane, B. Cassinat and R. Frade	1295	Pep34, a synthetic peptide whose sequence corresponds to the intracytoplasmic domain of the Epstein-Barr virus receptor (CR2, CD21), regulates human B lymphocyte proliferation triggered through CR2
	1299	*Corrigendum*
	i	*Forthcoming Papers*

NUMBER 17/18

M. A. Roggero, B. Filippi, P. Church, S. L. Hoffman, U. Blum-Tirouvanziam, J. A. Lopez, F. Esposito, H. Matile, C. D. Reymond, N. Fasel and G. Corradin	1301	Synthesis and immunological characterization of 104-mer and 102-mer peptides corresponding to the N- and C-terminal regions of the *Plasmodium falciparum* CS protein
P. N. Boyd, A. C. Lines and A. K. Patel	1311	The effect of the removal of sialic acid, galactose and total carbohydrate on the functional activity of Campath-1H
P. Kanda, D. A. Fritz, D. A. Gage and K. R. Shuler	1319	Dependence of the murine antibody response to an anti-CD4 CDR2 V_H peptide on immunogen formulation
A. Bridges, A. Birch, G. Williams, M. Aguet, D. Schlatter, W. Huber, G. Garotta and J. A. Robinson	1329	Variable region cDNA sequences and characterization of murine anti-human interferon γ receptor monoclonal antibodies that inhibit receptor binding by interferon γ
D. A. Smith, P. N. Monk and L. J. Partridge	1339	Antibodies against human CD63 activate transfected rat basophilic leukemia (RBL-2H3) cells
D. J. Zack, A. L. Wong, M. Stempniak and R. H. Weisbart	1345	Two kappa immunoglobulin light chains are secreted by an anti-DNA hybridoma: Implications for isotypic exclusion
B. Vukusic, L. Poplonski, L. Phillips, J. Pawling, T. Delovitch, N. Hozumi and J. Wither	1355	Both MHC and background gene heterozygosity alter T cell receptor repertoire selection in an antigen-specific response
V. Arulampalam, P. Grant, L. Poellinger and S. Pettersson	1369	Aberrant regulation of the IgH 3′ enhancer by *c-myc* in plasmacytoma cells
B. Maillère, G. Mourier, M. Hervé and A. Ménez	1377	Fine chemical modifications at N- and C-termini enhance peptide presentation to T cells, by increasing the lifespan of both free and MHC-complexed peptides
T. Onda, D. LaFace, G. Baier, T. Brunner, N. Honma, T. Mikayama, A. Altman and D. R. Green	1387	A phage display system for detection of T cell receptor–antigen interactions
P. Lenert, G. Lenert and M. Zanetti	1399	Human recombinant CD4 and CD4-derived synthetic peptides agglutinate immunoglobulin-coated latex particles. Evidence that residues 25–28 and 35–38 of human CD4 form two separate immunoglobulin binding sites
J. De Jonge, J. Brissinck, C. Heirman, C. Demanet, O. Leo, M. Moser and K. Thielemans	1405	Production and characterization of bispecific single-chain antibody fragments
S.-O. Leung, D. M. Goldenberg, A. S. Dion, M. C. Pellegrini, J. Shevitz, L. B. Shih and H. J. Hansen	1413	Construction and characterization of a humanized, internalizing, B-cell (CD22)-specific, leukemia/lymphoma antibody, LL2
A.-C. Malmborg, K. Johansson, M. Sigvardsson, C. A. K. Borrebaeck, and T. Leanderson	1429	Real-time analysis of Oct protein–octamer interaction and transcription complex assembly

I. Kurucz, J. A. Titus, C. R. Jost and D. M. Segal 1443 Correct disulfide pairing and efficient refolding of detergent-solubilized single-chain Fv proteins from bacterial inclusion bodies

Short communication

M. C. Szabo and B. McIntyre 1453 Identification of two variants of the human integrin α4 subunit

1455 *Corrigendum*

i *Forthcoming Papers*

I *Index for Volume 32, 1995*